SAFETY DATA SHEET

MOBIL JET OIL II

: www.sds.exxonmobil.com

ExonMobil

Section 1. Identification

Product name	: MOBIL JET OIL II
Product description	: synthetic esters and additives
Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	: Aviation lubricating oil, Turbine oil
Uses advised against	: This product is not recommended for any industrial, professional or consumer use other than the identified uses above.
Supplier	: EXXON MOBIL CORPORATION 22777 Springwoods Village Parkway Spring, TX 77389 USA
24-Hour emergency telephone number	: 1-800-424-9300 / +1 703-741-5970 / +1-703-527-3887 (CHEMTREC)
Product Technical Information	: 800-662-4525

Section 2. Hazards identification

SDS Internet Address

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: TOXIC TO REPRODUCTION - Category 2
substance or mixture	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H361 - Suspected of damaging fertility or the unborn child.
	H373 - May cause damage to organs through prolonged or repeated exposure. (blood,
	kidneys)
Precautionary statements	
Prevention	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe vapor. P280 - Wear protective gloves, protective clothing and eye or face protection.
Deserves	
Response	: P308 + P313 - IF exposed or concerned: Get medical advice or attention.
Storage	: P405 - Store locked up.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Contains	: tricresyl phosphate and 1-naphthylamine, n-phenyl-
Hazards not otherwise	: None known.
classified	
Note	: This material should not be used for any other purpose than the intended use in Section
	1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.

Date of issue/Date of revision : 16 July 2024

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	% by weight	Identifiers
tricresyl phosphate	≤3	CAS: 1330-78-5
1-naphthylamine, n-phenyl-	≤1	CAS: 90-30-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first	t alo measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Get medical attention following exposure or if feeling unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury. Wash clothing before reuse. Clean shoes thoroughly before reuse. Continue to rinse for at least 10 minutes. Get medical attention.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms	<u>/effects, acute a</u>	<u>nd delayed</u>			
Potential acute health eff	<u>ects</u>				
Eye contact	: No known	significant effects or critic	al hazards.		
Inhalation	: No known	significant effects or critic	al hazards.		
Skin contact	: No known	significant effects or critic	al hazards.		
Ingestion	: No known	significant effects or critic	al hazards.		
<u>Over-exposure signs/sym</u>	<u>iptoms</u>				
Eye contact	: No specific	data.			
Inhalation	: No specific	data.			
Skin contact	: Local necr after inject	osis as evidenced by dela ion.	yed onset of pain and	tissue damage a few h	ours
Ingestion	: No specific	data.			
Date of issue/Date of revision	: 16 July 2024	Date of previous issue	: 28 June 2024	Version : 1.02	2/12

Section 4. First aid measures

Indication of immediate mee	lical attention and special treatment needed, if necessary
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Aldehydes, Incomplete combustion products, Oxides of carbon, phosphorus oxides, Smoke, Fume
Special protective actions for fire-fighters	: Use standard firefighting procedures and consider the hazards of other involved materials. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Assure an extended cooling down period to prevent re-ignition. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800)424-8802.

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants. Warn other shipping. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

Section 7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Static Accumulator	-	This material is a static accumulator. A liquid is typically considered a nonconductive, static accumulator if its conductivity is below 100 pS/m (100x10E-12 Siemens per meter) and is considered a semiconductive, static accumulator if its conductivity is below 10,000 pS/m. Whether a liquid is nonconductive or semiconductive, the precautions are the same. A number of factors, for example liquid temperature, presence of contaminants, anti-static additives and filtration can greatly influence the conductivity of a liquid.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Date of issue/Date of revision

: 16 July 2024

Occupational exposure limits

Ingredient name	Exposure limits
5 1 1	None.
1-naphthylamine, n-phenyl-	None.

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>S</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): Nitrile, minimum 0.38 mm thickness or comparable protective barrier material
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Liquid.
Color	: Amber
Odor	: Characteristic

Date of previous issue

: 28 June 2024

Version : 1.02

Section 9. Physical and chemical properties and safety characteristics

Odor threshold	1	Not available.
рН	:	Not applicable.
Melting point/freezing point	:	Not available.
Boiling point or initial boiling point and boiling range	:	Not available.
Flash point	1	Open cup: 246°C (474.8°F) [ASTM D-92]
Evaporation rate	1	Not available.
Flammability	:	Ignitable
Lower and upper explosion limit/flammability limit	:	Not available.
Vapor pressure	:	Not available.
Relative vapor density	:	Not available.
Relative density	1	1
Solubility in water	1	Negligible
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	;	27.6 cSt [40 °C] [ASTM D 445] 5.1 cSt [100 °C] [ASTM D 445]
Particle characteristics		
Median particle size	:	Not applicable.
Pour point	1	-58.89°C

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Excessive heat.
Incompatible materials	: Strong oxidizers
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Test	Species	Result	Duration	
1-naphthylamine, n-phenyl-	LD50 Oral	Rat	1625 mg/kg	-	
Conclusion/Summary			L	I	
Inhalation	: Minimally Tox components.	•	or material. Based on a	ssessment of the	
Dermal	: Minimally Tox components.	•	or material. Based on a	ssessment of the	
Date of issue/Date of revision	: 16 July 2024	Date of previous issue	: 28 June 2024	Version : 1.02	6/12

Section 11. Toxicological information

Oral	 Minimally Toxic. No end point data for material. Based on assessment of the components. 			
Irritation/Corrosion	-			
Conclusion/Summary				
Skin	: Negligible irritation to skin at ambient temperatures. No end point data for material. Based on assessment of the components.			
Eyes	: May cause mild, short- on assessment of the		s. No end point data for material. Based	
Respiratory	: Negligible hazard at ar material.	nbient/normal handling t	emperatures. No end point data for	
Respiratory or skin sens	<u>itization</u>			
Conclusion/Summary				
Skin	: Not expected to be a s assessment of the cor		oint data for material. Based on	
Respiratory	: Not expected to be a r	espiratory sensitizer. No	end point data for material.	
<u>Mutagenicity</u>				
Conclusion/Summary	: Not expected to be a gassessment of the con		nd point data for material. Based on	
Carcinogenicity				
Conclusion/Summary	: Not expected to cause the components.	cancer. No end point d	ata for material. Based on assessment of	
Reproductive toxicity				
Conclusion/Summary	: May damage fertility. I components.	No end point data for ma	terial. Based on assessment of the	
Specific target organ tox	<u>icity (single exposure)</u>			
Conclusion/Summary	material.	organ damage from a s	ngle exposure. No end point data for	
	icity (repeated exposure)	Catagory	Target organs	
Product/ingredient name	5	Category	Target organs	
MOBIL JET OIL II		Category 2	blood, kidneys	
Conclusion/Summary		organs through prolonge ed on assessment of the	ed or repeated exposure. No end point components.	
Aspiration hazard				
Conclusion/Summary	: Not expected to be an material. Data availab	•	d on physico-chemical properties of the	
Other information				
Contains	symptoms of cyanosis pressure, convulsions, kidney irritation, and an animals caused liver a Undiluted PAN is a ski resulted in no reaction (<9% ortho isomer) ad developmental toxicolo male rats had decreas and adverse histologic changes were also obs sperm-positive female with only one of twenty parameters were unaf	, headache, shallow resp coma, or jaundice. Hen nemia may develop later nd kidney damage and d n sensitizer. Human test s indicative of sensitization ministered to rats by ora ogy study adversely affect ed sperm concentration changes in the testes ar served in the ovaries of T s littering was significant of females in the high dose fected by TCP exposure.	overexposure may result in clinical signs iration, dizziness, confusion, low blood naturia may occur due to bladder and Repeated exposure in laboratory epressed bone marrow activity. ng of lubricants containing 1.0% PAN on. Tricresyl phosphate (TCP): TCP gavage in a one-generation reproduction ted both males and females. TCP-treated and motility, abnormal sperm morphology of epididymides. Adverse histologic CP-treated female rats. The percent of y reduced in the TCP-treatment groups e group delivering young . Developmenta Impaired fertility and decreased sperm n reported in a reproduction toxicity study	

in mice.

Section 11. Toxicological information

Product

: A literature report of a generic jet engine oil containing tri-cresyl phosphate (TCP) with concentrations of ortho-phenol isomers well in excess of those found in this ExxonMobil product noted delayed peripheral nerve system damage in test animals. A current study of an ExxonMobil Jet Oil formulated with a relatively low ortho-phenol isomer content produced no peripheral nerve system damage in test animals. Oral exposure of male rats to a generic jet engine oil containing 3% of a commercial aryl phosphate product had no effect on male reproductive end points (organ weights, histology, sperm morphology or motility).

Section 12. Ecological information

The information given is based on data for the material, components of the material, or for similar materials, through the application of bridging principals.

Product/ingredient name	Duration	Species	Result
MOBIL JET OIL II	21 days	daphnia - Daphnia magna	Chronic NOEL 1 mg/l
Conclusion/Summary	Į	-	-
Acute toxicity	: Not e	xpected to be harmful to aquation	organisms.
Chronic toxicity	: Not e	xpected to demonstrate chronic	toxicity to aquatic organisms.
Persistence and degradab	<u>ility</u>		
Not determined.			
Bioaccumulative potential			
Not determined.			
<u>Mobility in soil</u>			
Not determined.			
Other ecological information	<u>on</u>		
Other adverse effects	: No kr	own significant effects or critica	l hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal з. of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ	
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
UN proper shipping name	-	-	-	-	
Transport hazard class(es)	-	-	-	-	
Label(s) / Marks					
Packing group	-	-	-	-	
Environmental hazards	No.	No.	No.	No.	
Additional information	<u>on</u>				
DOT Classification	shipped in qu (reportable q	uantity) transportation re	oduct reportable quantity equirements.	are not subject to the RQ	
Special precautions f				ed containers that are duct know what to do in the	

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) PAIR: 1-naphthylamine, n-phenyl-; 1-naphthalenol; siloxanes and silicones, di-me
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	Clean Water Act (CWA) 311: phosphorus; aniline

TSCA 12(b) - Chemical export notification

Not applicable.	<u>nt notineation</u>
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	
Composition/information of	on ingredients

Section 15. Regulatory information

			SARA 30	2 TPQ	SARA 30	04 RQ
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
phosphorus aniline	≤0.3 <0.1	Yes. Yes.	100 1000	- 117.6	1 5000	- 587.9
SARA 304 RQ : 398.8 lbs	/ 181.1 kg [47.8 gal	/ 181.1	L]		•	
<u>SARA 311/312</u>						
	D REPRODUCTION C TARGET ORGAN			ATED EXPOS	URE) - Cat	tegory 2
SARA 313						
This material contains no chemicals subj Program.	ect to the supplier n	otificatio	on requiren	nents of the SA	ARA 313 To	oxic Release
tate regulations						
Massachusetts : None of	the components are	listed.				
New York : None of	the components are	listed.				
New Jersey : The follo	wing components a	re listec	: TRICRES	SYL PHOSPH/	ATE	
Pennsylvania : None of	the components are	listed.				
Illinois : None of	the components are	listed.				
iventory list						
Australia inventory (AIIC)	: All compo	nents a	e listed or	exempted.		
Canada inventory (DSL-NDSL)	: All compo	nents a	e listed or	exempted.		
China inventory (IECSC)	: All compo	nents a	e listed or	exempted.		
Japan inventory (CSCL)	: At least or	ne comp	onent is no	ot listed.		
Japan inventory (Industrial Safety and Health Act)	: All compo	nents a	re listed or	exempted.		
New Zealand Inventory of Chemicals (NZIoC)	: At least or	ie comp	onent is no	ot listed.		
Philippines inventory (PICCS)	: Restrictior	ns Apply	,			
Korea inventory (KECI)	: All compo	nents a	e listed or	exempted.		
Taiwan Chemical Substances Inventor (TCSI)	y : All compo	nents a	e listed or	exempted.		
United States inventory (TSCA 8b)	: All compo	nents a	e active or	exempted		

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Section 16. Other information



Procedure used to derive the classification

Classification	Justification
	Calculation method Calculation method

New Jersey Right to Know Disclosure

Name	CAS #
tricresyl phosphate	1330-78-5
fatty acids, c5-10, esters with pentaerythritol	68424-31-7
fatty acids, c5-10, esters with dipentaerythritol	70983-72-1
1-naphthylamine, n-phenyl-	90-30-2
bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine	15721-78-5
phosphorus	7723-14-0

<u>History</u>	
Date of issue/Date of revision	: 16 July 2024
Date of previous issue	: 28 June 2024
Version	: 1.02
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations
References	: Not available.
Indicates information th	at has shanged from providually issued version

VIndicates information that has changed from previously issued version.

Product code : 201550101020_13809195

Notice to reader

The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest.

MOBIL JET OIL II