SAFETY DATA SHEET

1. Identification

Product identifier	S-3 Wash Wax		
Other means of identification	Not available.		
Recommended use	Wash.		
Recommended restrictions	None known.		
Manufacturer / Importer / Supplier / Distributor information			
Manufacturer/Supplier	Granitize Products, Inc.		
	11022 Vulcan Street		
	South Gate, CA 90280-0893 US		
Telephone:	(562) 923-5438		
Emergency	CHEMTREC: (800) 424-9300		
	CHEMTREC International: 00 1-703-527-3887		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Water	7732-18-5	80 - 85
Triethanolamine lauryl sulfate	139-96-8	10 - 12
Diethanolamine lauroylamide	120-40-1	5 - 7
Rhodamine B	81-88-9	0.5 - 1

4. First-aid measures

Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention, if needed.
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
S-3 Wash Wax	SDS US

Ingestion	Rinse mouth thoroughly. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Causes serious eye damage. Causes skin irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically. Skin contact may aggravate an existing dermatitis.
General information	Take off contaminated clothing and shoes immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.
5. Fire-fighting measures	
Suitable extinguishing media	Water. Water spray. Foam. Dry powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	No restrictions known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire-fighting equipment/instructions	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move containers from fire area if you can do so without risk.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewers, basements or confined areas. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
	Large Spills: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Following product recovery, flush area with water.
	Small Spills: Wipe up spilled material and place in a suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Dike the spilled material, where this is possible.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.
7. Handling and storage	
Precautions for safe handling	Wear personal protective equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. When using, do not eat, drink or smoke.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children.
8. Exposure controls/pers	onal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	No exposure standards allocated.
Appropriate engineering controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Provide eyewash station.
-	such as personal protective equipment
Eye/face protection Skin protection	Wear approved safety glasses or goggles. Wear face shield if there is risk of splashes.
Hand protection	Wear protective gloves.
Other	Wear suitable protective clothing and gloves.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary.

General hygiene	Avoid contact with eyes. Avoid contact with skin. When using, do not eat, drink or smoke. Handle
considerations	in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

,	· · · · •
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Red.
Odor	Sweet.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.05
Solubility(ies)	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Nitrogen oxides (NOx). Sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Ingestion	May cause discomfort if swallowed.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin irritation. Causes serious eye damage.
Information on toxical arisal off	Factor .

Information on toxicological effects

Causes skin, eye and respiratory tract irritation.

S-3 Wash Wax

	Species	Test Results
Diethanolamine lauroylamide (CAS	3 120-40-1)	
Acute		
Oral LD50	Rat	2700 mg/kg
riethanolamine lauryl sulfate (CAS		2700 mg/kg
Acute	5 129-90-0)	
Oral		
LD50	Rat	> 2000 mg/kg
kin corrosion/irritation	Causes skin irritation.	
erious eye damage/eye ritation	Causes serious eye damage	
espiratory sensitization	Not classified.	
kin sensitization	Not a skin sensitizer.	
erm cell mutagenicity	Not classified.	
arcinogenicity	Not classified.	
IARC Monographs. Overall F	Evaluation of Carcinogenicity	1
Rhodamine B (CAS 81-88	3-9)	3 Not classifiable as to carcinogenicity to humans.
eproductive toxicity	Not classified.	
pecific target organ toxicity - ingle exposure	Not classified.	
pecific target organ toxicity - epeated exposure	Not classified.	
spiration hazard	Not classified.	
hronic effects	Prolonged or repeated conta	ct may dry skin and cause dermatitis.
2. Ecological information		
cotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environmer
Components	Species	Test Results
Rhodamine B (CAS 81-88-9)		
Aquatic		
Fish	LC50 Western mos	quitofish (Gambusia affinis) 58.3 mg/l, 96 hours
ersistence and degradability	Not available.	
lioaccumulative potential	Not available.	
lobility in soil	The product is water soluble	and may spread in water systems.
other adverse effects	Not available.	
3. Disposal consideration	IS	
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of ance with local/regional/national/international regulations. Incinerate
	the material under controlled	conditions in an approved incinerator. Do not incinerate sealed its container must be disposed of as hazardous waste.
	the material under controlled	
azardous waste code Vaste from residues / unused	the material under controlled containers. This material and	its container must be disposed of as hazardous waste.
azardous waste code Vaste from residues / unused roducts	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit	its container must be disposed of as hazardous waste.
lazardous waste code Vaste from residues / unused roducts contaminated packaging	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit	its container must be disposed of as hazardous waste. h local regulations.
lazardous waste code Vaste from residues / unused roducts contaminated packaging 4. Transport information	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit Offer rinsed packaging mater	its container must be disposed of as hazardous waste. h local regulations.
lazardous waste code Vaste from residues / unused roducts Contaminated packaging 4. Transport information OOT Not regulated as a hazardous ATA	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit Offer rinsed packaging mater material by DOT.	its container must be disposed of as hazardous waste. h local regulations.
Azardous waste code Vaste from residues / unused products Contaminated packaging 4. Transport information OOT Not regulated as a hazardous ATA Not regulated as a dangerous MDG	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit Offer rinsed packaging mater material by DOT. good.	its container must be disposed of as hazardous waste. h local regulations.
Hazardous waste code Vaste from residues / unused products Contaminated packaging I4. Transport information OOT Not regulated as a hazardous ATA	the material under controlled containers. This material and Not regulated. Dispose of in accordance wit Offer rinsed packaging mater material by DOT. good.	its container must be disposed of as hazardous waste. h local regulations.

15. Regulatory information

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. CERCLA Hazardous Substance List (40 CFR 302.4) Rhodamine B (CAS 81-88-9) LISTED Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Fire Hazard - No Pressure Hazard - No	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. CERCLA Hazardous Substance List (40 CFR 302.4) Rhodamine B (CAS 81-88-9) LISTED Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No	
Rhodamine B (CAS 81-88-9) LISTED Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No	
Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No	
Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No	
Delayed Hazard - No Fire Hazard - No	
Reactivity Hazard - No	
SARA 302 Extremely No hazardous substance	
SARA 311/312 Hazardous Yes chemical	
SARA 313 (TRI reporting)	
Chemical name CAS number % by wt.	
Rhodamine B 81-88-9 0.5 - 1	
Other federal regulations	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List	
Rhodamine B (CAS 81-88-9) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	
Safe Drinking Water Act Not regulated. (SDWA)	
Food and Drug Not regulated. Administration (FDA)	
US state regulations WARNING: This product contains a chemical known to the State of California to cause car	icer.
US. Massachusetts RTK - Substance List	
Rhodamine B (CAS 81-88-9) US. New Jersey Worker and Community Right-to-Know Act	
Rhodamine B (CAS 81-88-9)500 lbsUS. Pennsylvania RTK - Hazardous Substances	
Rhodamine B (CAS 81-88-9) US. Rhode Island RTK	
Rhodamine B (CAS 81-88-9)	
US. California Proposition 65 US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance	
Rhodamine B (CAS 81-88-9)	
International Inventories	
Country(s) or region Inventory name On inventory (yes/no)*
Australia Australian Inventory of Chemical Substances (AICS)	Yes
Canada Domestic Substances List (DSL)	Yes
Canada Non-Domestic Substances List (NDSL)	No
China Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
European List of Notified Chemical Substances (ELINCS)	No
Japan Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea Existing Chemicals List (ECL)	Yes
New Zealand New Zealand Inventory	Yes
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-December-2013
Revision date	-
Version #	01
NFPA Ratings	2 0
References	HSDB AQUIRE
Disclaimer	The information in the sheet was wr

ritten based on the best knowledge and experience currently available.